

15.0 DRUGS ACTING ON THE UTERUS**15.1 OXYTOCICS (UTERINE STIMULANTS)***METHYLERGOMETRINE*
(*methylergonovine*)Oral: 125 mcg tablet (as hydrogen maleate
or maleate)Inj.: 200 mcg/mL, 1 mL ampul (IM, IV)
(as hydrogen maleate
or maleate)*OXYTOCIN*
(*synthetic*) (2)Inj.: 5 IU/mL and 10 IU/mL, 1 mL ampul
(IM, IV)**15.2 TOCOLYTICS (UTERINE RELAXANTS)***TERBUTALINE*Oral: 2.5 mg and 5 mg tablet (as sulfate)
5 mg ER tablet (durules) (as sulfate)Inj.: 500 mcg/mL, 1 mL ampul
(IV Infusion) (as sulfate)*isoxsuprine*Oral: 10 mg and 40 mg tablet
40 mg retard capsule
(as hydrochloride)Inj.: 5 mg/mL, 2 mL ampul
(IM, IV Infusion)
(as hydrochloride)*magnesium
sulfate* (1)Inj.: 250 mg/mL, 2 mL and 10 mL ampul,
and 10 mL and 20 mL vial
(IM, IV) (as heptahydrate)
500 mg/mL, 2 mL and 10 mL ampul
(IM, IV) (as heptahydrate)