

20.0 EAR, NOSE AND THROAT PREPARATIONS**20.1 AGENTS FOR CHEMICAL CAUTERY***SILVER NITRATE*

Crystals: USP grade
(for extemporaneous compounding
to 5%, 10% and 30% solution)
Stick: 95%

TRICHLOROACETIC ACID

Crystals: USP grade
(for extemporaneous compounding
to 10% solution)

20.2 SYSTEMIC NASAL DECONGESTANT

phenylpropanolamine
(*norephedrine*)
(A2)

Oral: 6.25 mg/mL drops (solution), 10 mL
(as hydrochloride)
12.5 mg/5 mL syrup, 60 mL and
120 mL (as hydrochloride)

20.3 TOPICAL ANESTHETIC*LIDOCAINE*

Ointment: 5%, 35 g and 50 g tube
(as hydrochloride)
Solution: 4%, 4 mL and 30 mL bottle
(as hydrochloride)
Spray: 10%, 50 mL (as hydrochloride)
Jelly: 2%, 30 g (as hydrochloride)

20.4 TOPICAL ANTIBIOTICS*CHLORAMPHENICOL*

Ear Drops Solution:
0.5%, 5 mL bottle
1.0% and 5%, 10 mL and 15 mL bottle

OFLOXACIN

Ear Drops Solution:
0.3%, 5 mL bottle

20.5 TOPICAL ANTIMICROBIAL COMBINATIONS

bacitracin +
neomycin +
polymyxin B

Ointment:
200 units bacitracin + 3 mg neomycin
(as sulfate) + 4,000 units
polymyxin B (as sulfate)/gram,
10 g tube
400 units bacitracin + 5 mg neomycin
(as sulfate) + 5,000 units
polymyxin B (as sulfate)/gram,
5 g tube and 500 g jar

CORE LIST	Complementary List	Route of Administration Pharmaceutical Forms and Strengths
20.6 TOPICAL ANTIBIOTIC + CORTICOSTEROID	<i>polymyxin B + acetic acid</i>	Ear Drops Solution: 10,000 units polymyxin B (as sulfate) + 1% acetic acid (glacial)/mL, 10 mL bottle (for otitis externa)
20.7 TOPICAL NASAL CORTICOSTEROIDS	<i>neomycin + polymyxin B + fluocinolone acetonide</i>	Ear Drops Solution: 3.5 mg neomycin (as sulfate) + 10,000 U polymyxin B (as sulfate) + 0.025% fluocinolone acetonide/mL, 5 mL bottle
20.8 TOPICAL NASAL DECONGESTANT	<i>budesonide</i> <i>fluticasone</i>	Nasal Aqueous Solution: 100 mcg/dose x 50 metered doses and 200 metered doses Nasal Aqueous Solution: 0.05%/dose x 120 doses (as propionate)
OXYMETAZOLINE		Nasal Drops Solution: 0.025%, 15 mL bottle (as hydrochloride) Nasal Spray: 0.05%, 10 mL and 15 mL bottle (as hydrochloride)